

Australian Made



NORGLASS

Specialty Finishes

Australian Owned

2023

SURFACE COATINGS CATALOGUE



norglass.com.au

ABOUT NORGLASS

AUSTRALIAN MADE - FAMILY OWNED

NORGLASS manufacturing over the past four decades have developed a comprehensive range of paints and surface treatment products that are simply... **"the best of the best"**. Each raw material is selected for its performance characteristics, not the price. The management philosophies decree that **quality is the path to success** - not quantity.

NORGLASS is an Australian owned family business and is committed to giving value for money down under.

LIQUID GLASS METALLICS & COLOURANTS

NORGLASS has a great range of **METALLIC POWDER PIGMENTS** which are a great addition to the colourant range for our popular product **LIQUID GLASS**.

Customers are not just limited with a pour on crystal-clear filler, but can add one of 9 **METALLIC POWDER PIGMENTS**.

LIQUID GLASS COLOURANT is also available in colours: **RED, BLACK, BLUE, GREEN** or **YELLOW** – or combine them for a fully customised colour.

LIQUID GLASS COLOURANTS and **METALLICS** are perfect for tables, floors, art pieces, jewellery, fishing lures and wherever else your imagination may take you.

SIZES: COLOURANTS: 50ml
METALLICS: 20g

BEFORE STARTING YOUR PROJECT...

FOLLOW THESE PROCEDURAL STEPS:

1. Go to norglass.com.au
2. Download the relevant Surface Information Guide and highlight all the products mentioned.
3. Download data sheets on the products mentioned in the Surface Information Guide. Highlight important details, such as coverage rates, thinning ratios, drying times and mixing statements etc.
4. Note the product sizes available.

Finally, after researching the above information, make some notes on specific questions you may have and call **NORGLASS INFORMATION SERVICE** on (02) 9708 2200.



LIQUID GLASS COLOURANT PROJECT

Use **LIQUID GLASS** with **COLOURANTS** or our new **METALLICS** range to create one of a kind tabletops, trays or benchtops. Finish with **NORTHANE CLEAR** for a chemical resistant and food grade coating.



FILLERS | GLUES | RESINS

STAYBOND EPOXY GLUE

Easy to use 2 pack glue. Solventless and non-staining with exceptional strength. Bonds to most prepared surfaces: timber, metals, fibreglass, concrete, fibro, ceramics and glass. It is totally waterproof when cured. Excellent gap filling and non-sagging characteristics. **COLOUR:** Cream when mixed. **SIZES:** 3.8kg, 1.9kg, 950g, 470g & 200g packs. **MIXING RATIO:** 1:1 by volume.



NORSYSTEM BOAT EPOXY RESIN

A clear waterproofing epoxy resin for the boat building and surfing industries. Solventless and non-shrinking. Can be extended with **NORGLASS MICROTALC**, or where weight saving is important, **NORCELLS BLENDED EXTENDER**. **NORSYSTEM RESIN** can be used as a flexible sealer where a clear finish is desired. Ideal as a reinforcing resin for fibreglass, Dynel and other composites. Base and hardeners are supplied in colour coded packs to avoid confusion. There are options for slow or fast hardeners to cater for local temperature conditions. **COLOUR:** Clear. **SIZES:** 24 litre, 6 litre, 3 litre & 1 litre packs. **MIXING RATIO:** 3:1 by volume.



Extenders for **NORSYSTEM** are shown on page 10

LIQUID GLASS EPOXY RESIN

Solventless, water-clear pour-on gloss finish for bar and table tops. Gives a "clear liquid coating" that can be used for découpage applications. Other uses are for filling timber surface irregularities prior to clear finishing. Excellent adhesion, flexibility and abrasion resistance. **COLOUR:** Water-clear when mixed. **SIZES:** 30 litre, 15 litre, 6 litre, 3 litre, 1.5 litre & 750ml packs. **MIXING RATIO:** 2:1 by volume. **APPLY:** Brush, roller, squeegee or pour on.



DEEP POUR LIQUID GLASS CASTING RESIN

A slow-curing epoxy resin system specially designed for deep pouring and large volume casting projects. Deep Pour Liquid Glass generates low heat, allowing castings at a maximum depth of 50mm in one go! **COLOUR:** Water-clear when mixed. **SIZES:** 6 litre, 15 litre, 30 litre, 600 litre. **MIXING RATIO:** 2:1 by volume. **APPLY:** Pour on.



NORFILL EPOXY FILLER

A paste-like white, waterproof filler that can be sanded and left as a finish, or painted over. It has excellent non-sagging properties so that even large cracks or holes can be filled in one application. **NORFILL** is solventless and does not shrink, making it the perfect filler where strength and adhesion is important. May be applied to all prepared surfaces and will not react with other coatings or treatments. The finished product can be drilled and tapped where desired. **COLOUR:** White. **SIZES:** 4kg, 2kg, 1kg, 500g & 250g packs. **MIXING RATIO:** 2:1 by volume.



NORFLEX EPOXY FILLER

A lighter more flexible version of **NORFILL** for large areas of cosmetic filling where movement and flexing are important. Offers a 25% weight saving by mass over **NORFILL**. Superb gap filling and sanding qualities. **COLOUR:** Cream when mixed. **SIZES:** 3kg & 750g packs. **MIXING RATIO:** 2:1 by volume.



USEFUL TIPS

Epoxies are heat generating in the cure process and require temperatures above 10°C. In the cold weather pre-heating the unmixed components in hot water will assist with the cross-linking. Using more hardener than specified usually softens the outcome.

POLYESTER RESIN

General purpose waxed fibreglassing resin. Ideal for waterproofing shower bases, roof guttering, boat and caravan repairs. Requires **NORGLASS POLYESTER RESIN CATALYST** for curing (see below). **COLOUR:** Blue, but cures to a hazy amber colour. **SIZES:** 4 litre, 2 litre, 1 litre, 500ml & 250ml. **MIXING RATIO:** 1-4% by volume of **CATALYST**. **APPLY:** Brush or roller.



POLYESTER RESIN CATALYST

Reactive agent used to promote the setting (curing) of **NORGLASS POLYESTER** products (see above). **SIZES:** 500ml, 80ml, 40ml & 20ml. **MIXING RATIO:** 1-4% by volume of **RESIN**. **APPLY:** Brush or roller.



AREA FORMULA

1 mixed litre = 1,000 cubic cm
Therefore 1 sq. metre @ 1mm thick = 1 litre

VISIT OUR WEBSITE HOW TO PAGE TO SEE OUR FULL INSTRUCTIONAL VIDEO ON HOW TO USE LIQUID GLASS TO MAKE A RIVER TABLE.

norglass.com.au



SEALERS | PRIMERS | UNDERCOATS

NORSEAL WOOD TREATMENT

Low viscosity epoxy solution designed to penetrate, seal and waterproof particle boards and timbers. Recommended to be overcoated with a primer such as SHIPSHAPE within 4 weeks of application. In permanently shaded areas NORSEAL can alternatively be coated with a clear finish.
COLOUR: Clear when mixed.
SIZES: 40 litre, 8 litre, 4 litre, 2 litre, 1 litre & 500ml packs.
MIXING RATIO: 1:1 by volume.
APPLY: Brush or roller.



ALL SURFACE PRIMER

Very fast drying stain blocking and sealing primer, with excellent inhibiting pigments for ferrous and non-ferrous metals. Because of its outstanding adhesion to almost every surface NoRUST is the preferred multi-purpose coating for most paint systems. 20 minute drying - rapid recoating.
Not suitable for areas of continuous immersion.
COLOURS: Red, white & grey.
SIZES: 10 litre, 4 litre, 2 litre, 1 litre, 500ml, 250ml & 100ml (white).
APPLY: Brush, roller or spray.



USEFUL TIPS

Surface preparation is essential for good results. Clean the surface before sanding. Then wipe with NORCLEAN-PLUS prior to coating. Normally a light sanding should be done to promote better adhesion. When using SHIPSHAPE PRIMER-UNDERCOAT a minimum of 24 hours must elapse before overcoating with NORTHANE or other NORGLASS products. The use of blue masking tape produces the best results with the NORGLASS paint range.



SHIPSHAPE PRIMER-UNDERCOAT

The **ultimate** high-build performance epoxy coating to obliterate background irregularities and provide filling properties prior to coating with single or 2 pack finishes. Suitable for areas of continuous immersion and osmosis repairs. Commonly used as a primer-undercoat for non-ferrous metals and as a topcoat in the bilge area of boats because of its satin gloss finish. SHIPSHAPE is the preferred primer for **fibreglass**.
COLOURS: White & grey.
SIZES: 10 litre*, 4 litre, 2 litre, 1 litre & 500ml packs.
MIXING RATIO: 3:1 by volume.
APPLY: Brush, roller or spray. *10 litre in white only



WEATHERFAST PRI-COAT

Primes as it undercoats. A heavy-bodied low odour primer and undercoat combined. For use on timbers and wall cladding. It is fine textured for easy sanding and provides a dense off-white colour for fast finishing.
COLOUR: Off-white.
SIZES: 10 litre, 4 litre, 2 litre, 1 litre, 500ml, 250ml & 100ml.
APPLY: Brush, roller or spray.



NORSHIELD ANTI-CORROSIVE PRIMER

Red oxide primer for ferrous metals such as steel, iron and wrought iron. Bound into a high strength 2 pack epoxy resin coating for maximum durability. Ideal for all steel surfaces from high rise to underwater use. Excellent film build characteristics.
COLOUR: Red oxide.
SIZES: 4 litre & 1 litre packs.
MIXING RATIO: 3:1 by volume.
APPLY: Brush, roller or spray.



TESTIMONIAL Received 16/2/22

"Hello Management,
I am writing to tell you how much I like your product I bought today. It was a tiny tin of NORGLASS WEATHERFAST PREMIUM ENAMEL, in this case a wine maroon red colour.

I looked your company up on the Internet from details on the can. I want you to know that I am amazed at how good this paint is. I applied one coat to a wooden picture frame that had ugly aged spots. I was astounded that one coat covered the old surface totally. I cannot help but stare at the finish in disbelief. The lustre, richness of hue, and shine are all amazing.
Best wishes,
Jeffrey Smith
Ayr QUEENSLAND


USEFUL TIPS

A mohair roller and good quality brushes will produce excellent results. If spraying, most NORGLASS products require the P.S.I. to be higher due to the greater volume of solids used. Refer to the PRODUCT DATA SHEET, available at norglass.com.au, before applying. Wet on wet techniques dictate that the applied coating has set up enough to support the weight of the next coat. This is determined by the stickiness of the previous coat on the masking tape.

INTERIOR | EXTERIOR GLOSS FINISHES

WEATHERFAST PREMIUM ENAMEL AND NORTHANE STANDARD COLOUR RANGE

Unlimited range of custom factory colours can be created for NORTHANE upon request (extra fee applies). True colours are shown on the can lids.



WEATHERFAST PREMIUM ENAMEL

Front Door in Bowral, NSW with 2 coats of WEATHERFAST PREMIUM ENAMEL in PORT WINE applied with a brush.



SHIPSHAPE & NORTHANE

Sonex kit plane (left) prepared with SHIPSHAPE and finished in NORTHANE (Fleet Red).



NORGLASS ARE PROUD TO BE THE EXCLUSIVE AUSTRALIAN DISTRIBUTOR OF THE MÖTSENBÖCKER'S LIFT OFF® RANGE

MÖTSENBÖCKER'S LIFT OFF® ACRYLIC (LATEX) PAINT REMOVER

A patented water-based and biodegradable formula designed to specifically remove latex based paints from all surfaces, including carpets, clothing, upholstery, brick and concrete.

Lift Off® Latex-Based Paint Remover works great on all latex-based paint clean up, from tools to overspray.

SIZES: 133ml, 651ml and 3.78L.



MÖTSENBÖCKER'S LIFT OFF® FOOD, DRINK AND PET STAIN REMOVER

Eliminates some of the toughest stains from a variety of surfaces, including carpets, upholstery (sofas and vehicle seats) and clothes.

Water-based and biodegradable formula. Low VOC.

SIZE: 651ml.



MÖTSENBÖCKER'S LIFT OFF® PEN, INK AND MARKER STAIN REMOVER

Consumers say Mötsenböcker's Lift Off® Pen, Ink & Marker Stain Remover is perfect for removing ink; and contractors claim it's perfect for permanent markers and graffiti. Both are satisfied with the results.

Designed to work effectively on difficult and hard surfaces, such as vehicle exteriors and interiors, while not damaging delicate surfaces, such as clothing and upholstery.

SIZES: 651ml and 3.78L.



MÖTSENBÖCKER'S LIFT OFF® SPRAY PAINT AND GRAFFITI REMOVER

A patented, water-based, biodegradable formula containing low VOCs.

It effectively removes all types of oil based paints, varnishes, lacquers and spray paints from all types of surfaces, including; stucco, concrete, cars & trucks, brick, metal and plastic.

SIZES: 651ml and 3.78L.



MÖTSENBÖCKER'S LIFT OFF® TAPE, LABEL AND ADHESIVE REMOVER

Mötsenböcker's Lift Off® Tape, Label and Adhesive Remover is destined to become a classic.

This original product still remains a top seller of our available formulas. Patented as a low-VOC formula, this product is effective for grease, gum, oily and adhesive problems on carpets, fabrics, hard surfaces, vinyl, metal and tile.

SIZES: 133ml, 651ml and 3.78L.



SPRAY FOAM & SILICONE CAULK REMOVER

Mötsenböcker's Lift Off® Spray Foam & Silicone Caulk Remover removes wet or dry silicones, latex-based caulks, polyurethane foams and glues, expansion foams, construction adhesives and acrylic-latex caulks. The new and safe technology works to remove both fresh and cured sealants from tools, hands, hard surfaces, flooring, fabric, carpet, ceramic, stone, wood, plastic, metal and vinyl.

SIZES: 133ml



STAIN REMOVAL KIT

Our Stain Removal Kit contains a 2 ounce bottle of 3 formulas to remove stains, tape, grease and markers around the house, office and traveling. These products are low VOC, biodegradable, safe for the environment and user. They work on a variety of surfaces, including tools, hands, tile, windows and vehicles, as well as carpeting, upholstery and clothing.

SIZES: 177ml



NEW

**MÖTSENBÖCKER'S
LIFT OFF**


PAVING PAINT P5 RATED

NORGLASS LOW SHEEN PAVING PAINT IN SLIP RESISTANT AND SMOOTH FINISHES

True colours and textures are shown on the can lids. Also available in CLEAR. SMOOTH only available in 7 colours*.




- Fast drying
- Easy to use
- No mixing
- Ready to use
- Uniform finish
- Hard wearing
- Available in 10 litre, 4 litre & 1 litre sizes.



TERRACOTTA*




CLAY



SAND




IVORY*




SLATE*




SAFETY YELLOW




RUSSET*




IRONBARK*



LINCOLN GREEN



CHARCOAL*



PEWTER*

NORGLASS PAVING PAINT

Rapidly becoming the product of preference in Australia, **NORGLASS SLIP RESISTANT PAVING PAINT** was awarded a slip rating of P5 in recent testing by Nata Accredited Sliptest.

NORGLASS SLIP RESISTANT PAVING PAINT is suitable for:

- External pavements, ramps, driveways and carports*
- Hotels, offices, public buildings, schools & kindergartens
- Supermarkets and shopping centres
- Swimming pool ramps, surrounds and stairs
- Sporting facilities, change rooms and concourses
- Hospitals and aged care facilities*

*NOTE: For gradients greater than 1 in 12 contact NORGLASS before applying.



BEFORE

Central Coast Grammar School 2 coats of SR PAVING PAINT in PEWTER with SAFETY YELLOW strips on their stairs. The hand rail is coated in NORTHANE for food & chemical resistance.



AFTER

P5

Accredited
Rating



INTERIOR | EXTERIOR ACRYLIC FINISHES

WEATHERFAST GLOSS ACRYLIC

- Same superior WEATHERFAST quality
- 16 great colours incl. BLACK and WHITE
- Available in 250ml & 100ml sizes

AVAILABLE IN
GOLD AND SILVER



WEATHERFAST PREMIUM ENAMEL TINY TIN RANGE


Now available in 18 great colours including BLACK and WHITE.
250ml & 100ml sizes only.




LOOK - the colour's
on the lid!

WEATHERFAST SLIP RESISTANT DECK PAINT


True colours and textures are shown on the can lids.



ARCTIC WHITE



SHORELINE CREAM




HORIZON BLUE




SQUALL GREY



MISTY GREY



CREAM



SEASHELL

FINISH COATS

NORTHANE ULTRA HIGH GLOSS

The premium finish 2 pack linear polyurethane for durability and fade resistance. Excellent chemical resistant, foodsafe, waterproofing and weathering properties. Ideal for refurbishing most surfaces. Home, leisure, commercial industrial and automotive. Unlimited range of factory colours upon request (extra fee applies).

COLOURS: 17 standard plus black & white.

SIZES: 10 litre, 4 litre, 2 litre*, 1 litre & 500ml packs.

MIXING RATIO: 2:1 by volume.

APPLY: Brush, spray or roller (volume solids 63%).

*2 litre size only available in white.



WEATHERFAST PREMIUM GLOSS

Modified polyurethane low odour paint to produce the highest quality marine grade gloss enamel. For use on prepared steel, aluminium, concrete, timber and other surfaces where performance and durability is paramount.

Not suitable for areas of continuous immersion.

COLOURS: 19 standard plus black & white.

SIZES: 10 litre*, 4 litre, 2 litre*, 1 litre, 500ml, 250ml** & 100ml**.

APPLY: Brush, roller or spray.

*Only available in black & white.

**Available in Fleet Red, Air-sea Orange, Vintage Green, Marker Yellow, Opal White, Port Wine, Teal, Sandstone, Pearl, Reef Blue, Admiralty Blue, Shadow Grey, Seamist, Pacific Blue, Botany Blue, Satin Black, Matt Black, Black & White.



WEATHERFAST SATIN

Durable interior - exterior modified odour polyurethane. Ideal for where less reflected light is desirable. Has a classic finish look. **Not suitable for areas of continuous immersion.**

COLOUR: White+ & black*.

SIZES: 10 litre+, 4 litre+, 2 litre+, 1 litre+, 500ml+, 250ml+* & 100ml*.

APPLY: Brush, roller or spray.



WEATHERFAST MARINE DECK PAINT

Unique slip resistant coating incorporating plastic granules to provide a uniform paint film for traction when wet. The profile also facilitates easy cleaning. For use on fibreglass, steel, concrete, timber and aluminium decks.

COLOURS: Arctic White, Shoreline Cream, Horizon Blue, Squall Grey, Misty Grey, Cream & Seashell.

SIZES: 4 litre & 1 litre.

APPLY: Brush, roller or spray.



WEATHERFAST HEAT SAFE BLACK

A Heat resistant, self priming paint suitable for areas that are subjected to heat. Perfect for BBQ, pot belly stove and oven surrounds. No Primer Required. Heat resistant to 300 degrees.

COLOUR: Black

SIZES: 1 litre, 500ml, 250ml,

300g spray can

APPLY: Brush, roller or spray



AEROSOL PAINTS

To compliment our **WEATHERFAST PREMIUM ENAMEL** and **NoRUST ALL SURFACE PRIMER** ranges we have added **300g SPRAY CANS**. And look out for **POLY CLEAR GLOSS** and **SATIN** and **HEAT-SAFE BLACK** available in spray cans too. Same quality finishes and a new user friendly nozzle.



Go to **norglass.com.au** for all the **DATA SHEETS**, **TECHNICAL ADVICE** and **"HOW TO" INFORMATION GUIDES**

FIBREGLASS | EXTENDERS | SUNDRIES

GREY-AWAY GRAIN RESTORER

Removes grey oxides from timbers restoring the natural wood grain. An excellent cleaner and stain remover for fibreglass surfaces. CONCENTRATED: Dilute with equal parts fresh water.

SIZES: 5 litre & 1 litre.

MICROTALC EXTENDER

Fine-textured powder for extending NORSYSTEM to make an economical filler that can be trowelled on, easily sanded and will hold to vertical surfaces.

COLOUR: White powder.

SIZES: 5kg, 1kg & 500g.

NORCELLS EXTENDER

A blended lightweight extender for NORSYSTEM where flexibility and weight are the main attributes of this product.

COLOUR: White.

SIZES: 1kg, 500g & 250g.

FLATTENING AGENT

Fine porous powder designed to absorb the gloss of NORGLASS paint films converting them into a satin finish. Addition rate of 100g for 4 litres of paint, 25g for 1 litre. More or less can be added to achieve the desired gloss level.

COLOUR: White powder.

SIZES: 250g, 100g & 25g.

GLUE PROMOTER

A fine white powder that can be added to NORSYSTEM to make it into an economical epoxy glue mix.

SIZES: 240g & 60g.

CONCRETE AND CERAMIC CLEANER

A fast acting solution to prepare concrete prior to painting. On ceramics, this product will remove foreign matter & stains. Easy to use.

SIZES: 5 litre & 1 litre.

METAL-ETCH PRE-CLEANER

A specifically designed metal conditioner for pre-treating bare aluminium, galvanised iron and other non-ferrous alloys such as brass, copper and bronze. Easy to use. Brush on and wash off. Thixotropic gel is designed to hold the product on vertical surfaces. Stirring or shaking the contents converts METAL-ETCH into a liquid for hard to reach areas. This product is also an excellent rust remover on steel.

COLOUR: Green gel.

SIZES: 4 litre & 1 litre.

APPLY: Brush, roller or sponge.

ORANGE-PEEL GEL PAINT STRIPPER

NORGLASS has released a citrus style paint stripper using the latest technology in resins and additives.

ORANGE-PEEL features include:

- Holds on to vertical surfaces
- Removes multiple paint layers
- Cleans up with water
- Evaporates slowly
- Works faster than other citrus style paint strippers
- Does NOT contain Methylene Chloride
- Can be used indoors and outdoors

ORANGE-PEEL is suitable for:

- Polyurethanes
- Epoxies
- Enamels
- Clears
- Single and 2 pack products
- Water based paints

AVAILABLE IN SIZES: 10 litre, 4 litre, 1 litre & 500ml.

SLIP RESISTANT AGENT

Plastic, non-settling granules that can be incorporated in most types of paint finishes (except high-gloss paints) increase slip resistance. Uniform particle size gives a professional finish to all coatings. Can also be used in clear satin varnishes at reduced levels of addition.

COLOUR: White powder.

SIZES: 200g for 4 litres of paint & 50g for 1 litre of paint.

FIBREGLASS REPAIR KIT

A comprehensive DIY pack including 250ml POLYESTER RESIN with CHOPPED STRAND MATT (140mm x 1m), CATALYST, mixing sticks, gloves, paint brush. Full instructions included. Perfect for a variety of household, marine and general repair work.

FIBREGLASS CLOTH AND CHOPPED STRAND MATT

Scrim-weave, glass fabric for reinforcing NORGLASS LIQUID GLASS, NORSYSTEM or POLYESTER RESINS. Used for general repair work as well as strengthening timber, fibreglass and other surfaces.

SIZES:

CLOTH available in 1m² & .5m² packs.

CHOPPED STRAND MATT available in 1m² & .5m².

THINNERS | CLEARS

NORCLEAN - PLUS

A 100% pure cleaning solvent that leaves the surface "squeaky clean" with no residue.

Economical to use. **Clean is green.**

SIZES: 20 litre, 4 litre & 1 litre.

WEATHERFAST SPRAYING THINNERS

Blended thinner formulated for use with all WEATHERFAST products. NoRUST PRIMER, PRI-COAT, PREMIUM GLOSS, DECK PAINT, SATIN WHITE, MICROSHIELD VARNISH, POLY CLEARS and PAVING PAINTS.

SIZES: 20 litre, 4 litre, 1 litre & 500ml.

WEATHERFAST BRUSHING THINNERS

Retarder-thinner for WEATHERFAST products. NoRUST PRIMER, PRI-COAT, PREMIUM GLOSS, DECK PAINT, SATIN WHITE, MICROSHIELD VARNISH, POLY CLEARS and PAVING PAINTS to slow the drying rate and to improve brushability. Also used as a clean-up solvent for WEATHERFAST products.

SIZES: 4 litre, 1 litre & 500ml.

ACETONE

Fast-evaporating, economical cleaning solvent for many surfaces. Also a clean-up solvent for NORGLASS POLYESTER RESIN.

SIZES: 20 litre, 4 litre, 1 litre & 500ml.

EPOXY THINNER

Slow-evaporating solvent for thinning and cleaning up after using NORGLASS EPOXY products.

SIZES: 20 litre, 4 litre, 1 litre & 500ml.

NORTHANE SPRAYING THINNERS

Formulated blend of solvents specifically designed for use with NORGLASS NORTHANE, NORSHIELD PRIMER and SHIPSHAPE PRIMER-UNDERCOAT.

Can also be used as a clean-up solvent for these products.

SIZES: 20 litre, 4 litre, 1 litre & 500ml.

NORTHANE BRUSHING THINNERS

Retarder-thinner for NORTHANE, to slow the drying rate and improve brushability.

SIZES: 4 litre, 1 litre & 500ml.

MICROSHIELD PREMIUM VARNISH

Traditional Marine Spar Varnish with a super high gloss finish with maximum state of the art U/V inhibitors and stabilisers for areas of extreme exposure. Ideal for panelling, doors, hand rails and general varnish work.

COLOUR: Clear

SIZES: 10 litre, 4 litre, 2 litre, 1 litre & 500ml.

APPLY: Brush, roller or spray.

WEATHERFAST POLY CLEAR GLOSS

Tough abrasion resistant gloss coating with high levels of U/V inhibitors for interior and exterior use. Ideal for floors, furniture and marine applications. Fast drying, low odour properties an advantage for interior use.

COLOUR: Clear

SIZES: 10 litre, 4 litre, 2 litre, 1 litre, 500ml & 250ml.

APPLY: Brush, roller or spray.

WEATHERFAST POLY CLEAR SATIN

Tough low odour satin lustre for furniture, walls, panelling, floors, cork and parquetry.

COLOUR: Clear

SIZES: 10 litre, 4 litre, 2 litre, 1 litre, 500ml & 250ml.

APPLY: Brush, roller or spray.

WEATHERFAST A1 PENETRATING TIMBER OIL

A modified premium penetrating oil that nourishes timber back to its natural state whilst eradicating organic growth deep within the substrate. Low odour and UV inhibited.

COLOUR: Clear

SIZES: 10 litre, 4 litre, 2 litre & 1 litre.

APPLY: Brush or roller.

WEATHERFAST A2 FINISHING TIMBER OIL

A premium finishing timber oil containing the best UV inhibitors available. Developed to bring the natural lustre of the timber back to its original state.

COLOUR: Clear

SIZES: 10 litre, 4 litre, 2 litre & 1 litre.

APPLY: Brush or roller.

NORTHANE CLEAR GLOSS AND SATIN

2 pack, non-yellowing linear polyurethane with outstanding chemical and abrasion resistance. Non toxic cured film. Ideal for waterproofing fish ponds and fountains. May be used in continuously immersed conditions. Excellent heat resistance and durability makes this a premium clear coating. Ideal on surfaces where graffiti is a potential problem. Graffiti can easily be removed with solvents without damage to the NORTHANE CLEAR. For use on floors, furniture and exterior applications.

COLOUR: Water clear

SIZES: 10 litre, 4 litre, 2 litre, 1 litre & 500ml packs.

APPLY: Brush, roller or spray.

NORTHANE ULTRA HIGH GLOSS
in reef blue and white
transformed this caravan



AMAZING PROJECTS MADE WITH NORGLASS PRODUCTS



DIAMOND JUBILEE STATE COACH

10 NORGLASS products were used to provide the ultimate finish on the Diamond Jubilee State Coach built by Jim Frecklington and presented to Her Majesty Queen Elizabeth II in 2014



ROYAL AIRCRAFT FACTORY BE2a c.1912

Every wooden part of this construction (except for the propeller) has been preserved using the NORGLASS NORSEAL WOOD TREATMENT.



SPIRIT OF AUSTRALIA II

NORGLASS is proud to sponsor David & Ken Warby and the Spirit of Australia II, with SHIPSHAPE and NORTHANE being used on the vessel for their upcoming attempt at the world water speed record.



BEFORE & AFTER TABLE

This table was wet down with water, then two coats of NORGLASS GREY-AWAY was applied with a light scrubbing brush, one more wash down with water to finish. Total job done in 20 minutes. Good as new!



STEAM ENGINE

Built in Lincolnshire, England circa 1903, this Clayton & Shuttleworth Portable Steam Engine was restored by the Cowra Men's Shed using NORGLASS WEATHERFAST PREMIUM ENAMEL.

DOING A PROJECT USING NORGLASS PRODUCTS?

Share a pic of your pride and joy and it just may make it onto the pages of our catalogue! Email your photos and a brief description, including what NORGLASS products you used to norglass@bigpond.net.au