

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Grey Away

Item Code: 4094

Product Use: Timber Cleaner
Restriction of Use: Refer to Section 15

Australian Supplier: Norglass Paints
Address: 59 Moxon Road

Punchbowl NSW 2196

Australia

Telephone: +61 2 9708 2200

Email: <u>techinfo@norglass.com.au</u>

New Zealand Supplier: xxx Address: xxx xxx

Telephone: 0508 724687

Emergency Numbers:

Australia: 13 1126 (Poisons Information Centre)
New Zealand: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 10 December 2023 v3

Section 2. Hazards Identification

Australia:

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

New Zealand:

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Surface Coatings and Colourants (Corrosive) - HSR002658

Pictograms



Signal Word: DANGER

GHS Classification and Category	Hazard Code	Hazard Statement
Skin corrosion Cat. 1C	H314	Causes severe skin burns and eye damage.
Serious eye damage Cat. 1	H318	Causes serious eye damage.
Hazardous to terrestrial vertebrates.	H433	Hazardous to terrestrial vertebrates

Product Name: Grey Away SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P260	Do not breathe fumes or vapours.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective clothing.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P310	Immediately call a POISON CENTER or doctor/physician.
P363	Wash contaminated clothing before reuse.
P301 +	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P330+P331	
P303 +	IF ON SKIN (or hair): Remove/Take off immediately all contaminated
P361+P353	clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position
	comfortable for breathing.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Phosphoric Acid	0.1 - 1	7664-38-2
Oxalic Acid	5 - 10	6153-56-6
Water	To bal	7732-18-5

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice.

If on Skin Wash with plenty of soap and water. Take off contaminated clothing and

wash before re-use. If skin irritation occurs: get medical advice/attention.

If Swallowed Rinse mouth. DO NOT induce vomiting. Give a glass of water. Never give

anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Call a POISON CENTER or

doctor/physician if you feel unwell.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed Symptoms:

Product Name: Grey Away SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Ingestion: May be harmful if swallowed.

Inhalation: Not applicable.

Skin: Causes severe skin burns. **Eye:** Causes serious eye damage.

Chronic: Not applicable.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable
Hazards from	Not combustible, however following evaporation of the water
combustion	component of the material, the residual material can bum if ignited.
products	On burning will emit toxic fumes.
Suitable	Fine water spray, normal foam, dry agent (carbon dioxide, dry
Extinguishing	chemical powder).
media	
Precautions for	Fire fighters to wear self-contained breathing apparatus and suitable
firefighters and	protective clothing if risk of exposure to vapour or products of combustion.
special protective	Combustion.
clothing	
HAZCHEM CODE	2X

Section 6. Accidental Release Measures

Personal precautions:

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Notify authorities if product enters sewers or public waters.

Spill and Disposal procedures:

Small spills: Wipe up with rag or absorbent paper. Collect in a container for disposal via special chemical waste collection.

Large spills: Wear protective equipment to prevent skin and eye contact and breathing in vapours. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal.

Section 7. Handling and Storage

Precautions for Handling:

- Read carefully and follow all instructions.
- Do not breathe fumes or vapours.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Avoid release to the environment.
- Wear protective clothing.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store locked up.
- Store in cool place and out of direct sunlight.
- Store away from foodstuffs.
- Keep containers closed when not in use check regularly for leaks.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL

Product Name: Grey Away

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Date of SDS: 10 December 2023

Tel: 64 9 475 5240 www.techcomp.co.nz

Substance ppm mg/m³ ppm mg/m³

Phosphoric acid [7664-38-2]

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

1

Engineering Controls

Use in well ventilated areas. Keep containers closed when not in use.

Personal Protection Equipment:



Eyes	Wear safety goggles with side shields. Avoid wearing contact lenses.
Hands and	Wear impervious gloves and overalls.
Skin	
Respiratory	Use appropriate cartridge absorbent face masks where ventilation is poor.
General	Observe good standards of hygiene and cleanliness.

Section 9 Physical and Chemical Properties

A	Class Blog Limited
Appearance	Clear Blue Liquid
Odour	Not available
Odour Threshold	Not available
pH	3
Boiling Point	100°C(water)
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower	Not available
Exposure Limits	
Volatile Component	Not available
Vapour Pressure	Not available
Specific Gravity	1.02 @20°C
Solubilities	Soluble
Partition Coefficient:	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Conditions to Avoid	Avoid contact with foodstuffs. Avoid exposure to heat, sources
	of ignition, and open flame.
Incompatible Materials	Incompatible with alkalis.
Hazardous Decomposition	Oxides of carbon. Oxides of nitrogen.
Products	

Section 11 Toxicological Information

Product Name: Grey Away SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Acute Effects:

Swallowed	Not applicable. Mixture calculation: LD50 = 4036mg/kg
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Causes serious eye damage. Contamination of eyes can result in permanent injury.
Skin	Causes severe skin burns and eye damage.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Individual component information:

Acute Toxicity:

Chemical Name	Oral - LD50	Dermal - LD50	Inhalation – LC50
Phosphoric acid	1530 mg/kg (rat)	2740mg/kg (rabbit)	-
(7664-38-2)			

Section 12. Ecotoxicological Information

Hazardous to terrestrial vertebrates.

Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available
Precautions	Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method: Place recovered product into an appropriate waste container for disposal through appropriate waste company or specialized landfill in accordance with local regulations. Ensure container is sealed and isolated away from ignition sources.

Precautions: Ensure waste container containing recovered product or contaminated spill media is labelled "Hazardous Waste – Corrosive, Ecotoxic". If triple rinsing container, add rinsate to waste container for disposal.

Disposal methods to avoid: Do not allow to enter waterways.

Section 14 Transport Information

This product is classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020



Product Name: Grey Away

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Road, Rail, Sea and Air Transport

UN No	3265	
Class - Primary	8	
Packing Group	III	
Proper Shipping Name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	
Marine Pollutant	NO	
Special Provisions	If the product's individual container is below 5L/kg, it can be	
	transported as a non-DG as long as the product packaging is still	
	labelled as per DG requirements and the driver is given safety	
	information in accordance with Chapter 3.4 of the UNRTDG.	

Section 15 Regulatory Information

Australia:

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as a **Schedule 6** Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

New Zealand:

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: Surface Coating and Colourant (Corrosive) - HSR002658

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	1000L
Emergency Response Plan	10 000L
Secondary Containment	10 000L
Restriction of Use	Only use for the intended purpose.

Section 16 Other Information

C1	ossarv
VII	OSSarv

EC₅₀ Median effective concentration. EEL Environmental Exposure Limit. EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms inhaling

or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

Australia:

- 1. Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
- 2. Standard for the Uniform Scheduling of Medicines and Poisons.
- 3. Australian Code for the Transport of Dangerous Goods by Road & Rail.
- 4. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens,

Product Name: Grey Away

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Date of SDS: 10 December 2023

Tel: 64 9 475 5240 www.techcomp.co.nz

restricted carcinogens and restricted hazardous chemicals.

- 5. Workplace exposure standards for airborne contaminants, Safe work Australia.
- 6. American Conference of Industrial Hygienists (ACGIH).
- 7. Globally Harmonised System of classification and labelling of chemicals.

New Zealand:

- 1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
- 2. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the Australian Manufacturer or New Zealand distributor, if further information is required.

Issue Date: 10 December 2023 Review Date: 10 December 2028

Product Name: Grey Away SDS Prepared by: Technical Compliance Consultants (NZ) Ltd