

## SAFETY DATA SHEET

### Section 1. Identification of the material and the supplier

Product: **Deep Pour Liquid Glass Casting Resin (Hardener)**  
 Product Use: Epoxy resin hardening agent  
 Restriction of Use: Refer to Section 15

Australian Supplier: **Norglass Paints**  
 Address: 59 Moxon Road  
 Punchbowl NSW 2196  
 Australia  
 Telephone: +61 2 9708 2200  
 Email: [info@norglass.com.au](mailto:info@norglass.com.au)

New Zealand Supplier: xxx  
 Address: xxx  
 Telephone: 0508 724687

**Emergency Numbers:**  
**Australia: 13 1126 (Poisons Information Centre)**  
**New Zealand: 0800 764 766 (National Poison Centre)**

Date of SDS Preparation: 10 June 2026 v2

### Section 2. Hazards Identification

**Australia:**  
 Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

**New Zealand:**  
 This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

**EPA Approval No: Surface Coatings and Colourants (subsidiary) – HSR002670**

**Pictograms**



Signal Word: **DANGER**

GHS Classification and Category	Hazard Code	Hazard Statement
Acute oral toxicity Cat. 4	H302	Harmful if swallowed.
Acute dermal toxicity Cat. 4	H312	Harmful in contact with skin.
Serious eye damage Cat. 1	H318	Causes serious eye damage.
Hazardous to the aquatic environment chronic Cat. 2	H411	Toxic to aquatic life with long lasting effects.

<b>Prevention Code</b>	<b>Prevention Statement</b>
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

<b>Response Code</b>	<b>Response Statement</b>
P101	If medical advice is needed, have product container or label at hand.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P391	Collect spillage.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362+P364	Take off contaminated clothing and wash before reuse.

<b>Storage Code</b>	<b>Storage Statement</b>
None allocated	

<b>Disposal Code</b>	<b>Disposal Statement</b>
P501	Dispose of according to Local Regulations or Authorities

### **Section 3. Composition / Information on Ingredients**

<b>Ingredients</b>	<b>Wt%</b>	<b>CAS NUMBER.</b>
Propylidynetrimethanol, propoxylated, reaction products with ammonia	100%	39423-51-3

### **Section 4. First Aid Measures**

Routes of Exposure:

If in Eyes	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Immediately call a POISON CENTER or doctor/physician.
If on Skin	Take off contaminated clothing and wash before reuse. Wash with plenty of soap and water. Seek medical attention if needed.
If Swallowed	Drink copious amounts of water and provide fresh air. Call a POISON CENTER or doctor/physician.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult or if you feel unwell.

#### **Most important symptoms and effects, both acute and delayed**

Symptoms:

<b>Ingestion:</b>	Harmful if swallowed.
<b>Inhalation:</b>	Not applicable.
<b>Skin:</b>	Harmful in contact with skin.
<b>Eyes:</b>	Causes damage to eyes.
<b>Chronic:</b>	Not applicable.

**Section 5. Fire Fighting Measures**

<b>Hazard Type</b>	Non-Flammable
<b>Hazards from combustion products</b>	As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.
<b>Suitable Extinguishing media</b>	In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.
<b>Precautions for firefighters and special protective clothing</b>	Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA).
<b>HAZCHEM CODE</b>	<b>3Z</b>

**Section 6. Accidental Release Measures****Personal precautions:**

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel. Ensure adequate ventilation.

**Environmental precautions:**

Do not allow product to reach sewage system or water bodies.  
Do not allow to enter the ground/soil.

**Spill and Disposal procedures:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to Section 13.

**Section 7. Handling and Storage****Precautions for Handling:**

- Read label before use.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Ensure good ventilation/exhaustion at the workplace.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.

**Precautions for Storage:**

- Store away from incompatible materials listed in Section 10 and foodstuffs.
- Provide floor trough without outlet.
- Store in original container.
- Keep container tightly sealed.
- Keep out of reach of children.
- Storage Temperature: 5 – 30°C
- Storage Max Time: 6 months

**Section 8 Exposure Controls / Personal Protection****WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

Substance	TWA		STEL	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working

day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply.

New Zealand: Workplace Exposure Standards and Biological Exposure Indices FEB 2025 15TH EDITION.

AUST: Workplace Exposure Standards for Airborne Contaminants Jan 2024.

## Engineering Controls

Ensure adequate ventilation.

## Personal Protection Equipment



<b>Eyes</b>	Tightly sealed safety glasses with side shields.
<b>Hands</b>	Only use chemical-protective gloves with CE-labelling of category III. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. <b>Material of gloves</b> Nitrile rubber, NBR Fluorocarbon rubber (Viton) Recommended thickness of the material: $\geq 0.5$ mm Do not wear leather or strong gloves.
<b>Skin</b>	Protective work clothing.
<b>Respiratory</b>	The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

## Section 9 Physical and Chemical Properties

<b>Appearance</b>	Liquid
<b>Odour</b>	Not available
<b>Odour Threshold</b>	Not available
<b>pH</b>	Not available
<b>Boiling Point</b>	Not available
<b>Melting Point</b>	Not available
<b>Freezing Point</b>	Not available
<b>Flash Point</b>	126 °C
<b>Flammability</b>	Not available
<b>Upper and Lower Exposure Limits</b>	Not available
<b>Volatile Component</b>	Not available
<b>Vapour Pressure @ 50°C</b>	<300000 Pa (300 kPa)
<b>Density at 20°C</b>	Not available
<b>Relative Density at 20°C</b>	Not available
<b>Solubility in / Miscibility with Water at 20 °C:</b>	Not available
<b>Partition Coefficient:</b>	Not available
<b>Auto-ignition Temperature</b>	Not available
<b>Decomposition Temperature</b>	Not available
<b>Viscosity kinematic @ 20°C</b>	Not available
<b>Particle Characteristics</b>	Not available

## Section 10. Stability and Reactivity

<b>Stability of Substance</b>	This product is stable under normal conditions.
<b>Conditions to Avoid</b>	None knowns.

Product Name: Deep Pour Liquid Glass Casting Resin SDS Prepared by: Technical Compliance Consultants (NZ) Ltd  
Date of SDS: 10 June 2026 Tel: 64 9 475 5240 www.techcomp.co.nz

<b>Incompatible Materials</b>	Avoid strong acids, alkalis and strong bases.
<b>Hazardous Decomposition Products</b>	Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO <sub>2</sub> ), carbon monoxide and other organic compounds.

## Section 11 Toxicological Information

### Acute Effects:

<b>Swallowed</b>	Harmful if swallowed. LD50 (rat) = 550mg/kg
<b>Dermal</b>	Harmful if in contact with skin. LD50(rat) = >1100mg/kg
<b>Inhalation</b>	Not applicable.
<b>Eye</b>	Causes serious eye damage.
<b>Skin</b>	Not applicable.

### Chronic Effects:

<b>Carcinogenicity</b>	Not applicable
<b>Reproductive Toxicity</b>	Not applicable
<b>Germ Cell Mutagenicity</b>	Not applicable
<b>Aspiration</b>	Not applicable
<b>STOT/SE</b>	Not applicable
<b>STOT/RE</b>	Not applicable

## Section 12. Ecotoxicological Information

Toxic to aquatic life with long lasting effects.

<i>Aquatic toxicity:</i>	
<i>Algae toxicity</i>	4 mg/l ( <i>Pseudokirchneriella subcapitata</i> ) (EC50(72h))
<i>Daphnia toxicity</i>	13 mg/l ( <i>Daphnia magna</i> (Wasserfloh)) (EC50(48h))

<b>Persistence and degradability</b>	No data available
<b>Bioaccumulation</b>	No data available
<b>Mobility in Soil</b>	No data available
<b>Other adverse effects</b>	No data available
<b>Precautions</b>	Do not allow product to reach ground water, water bodies or sewage system.

## Section 13. Disposal Considerations

**Disposal Method:** Dispose of liquid components at a suitable incineration plant. After curing, the product can be disposed of with household waste.

**Disposal methods to avoid:** Do not allow to enter waterways.

## Section 14 Transport Information

**This product is NOT classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).**

**This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2020**



## Road, Rail, Sea and Air Transport

<b>UN No</b>	3082
<b>Class - Primary</b>	9
<b>Packing Group</b>	III
<b>Proper Shipping Name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S (Trimethylolpropane poly (oxypropylene)triamine)
<b>Marine Pollutant</b>	Yes
<b>Special Provisions</b>	If the product's individual container is below 5L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

## **Section 15 Regulatory Information**

### **Australia:**

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

### **New Zealand:**

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: Surface Coatings and Colourants (subsidiary) – HSR002670

<b>HSW (HS) Regulations 2017 and EPA Notices</b>	<b>Trigger Quantity</b>
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	1000L
Emergency Response Plan	1000L
Secondary Containment	1000L
Restriction of Use	Only use for the intended purpose.

## **Section 16 Other Information**

### **Glossary**

Cat	Category
EC <sub>50</sub>	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

Product Name: Deep Pour Liquid Glass Casting Resin SDS Prepared by: Technical Compliance Consultants (NZ) Ltd  
Date of SDS: 10 June 2026 Tel: 64 9 475 5240 www.techcomp.co.nz

## References:

### Australia:

1. Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
2. National Industrial Chemicals Notification and Assessment Scheme (NICNAS).
3. Standard for the Uniform Scheduling of Medicines and Poisons.
4. Australian Code for the Transport of Dangerous Goods by Road & Rail.
5. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
6. Workplace exposure standards for airborne contaminants, Safe work Australia.
7. American Conference of Industrial Hygienists (ACGIH).
8. Globally Harmonised System of Classification and Labelling of chemicals.

### New Zealand:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices FEB 2025 15<sup>th</sup> edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

## Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the Australian Manufacturer or New Zealand distributor, if further information is required.

Issue Date: 10 June 2026                      Review Date: 10 June 2031